TITLE: Preparation of novel 4-(1,2,3,4-tetrahydroisoquinolin-

2-yl)pyrimidines possessing an excellent

anti-secretory activity

INVENTOR(S): Lee, Jong Wook; Lee, Bong Yong; Kim, Chang Seop; Lee,

Seung Kyu; Song, Keun Seog; Lee, Song Jin; Shim, Woo

Jeon; Hwang, Man Soon

PATENT ASSIGNEE(S): Yuhan Corp., S. Korea SOURCE: PCT Int. Appl., 110 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PAT	PATENT NO.						KIND DATE			APPLICATION NO.					DATE				
WO		AL, DK, KP, NO, UA,	EE, KR, NZ, UG,	ES, KZ, PL, US,	FI, LC, PT, UZ,	AZ, GB, LK, RO, VN,	BA, GE, LR, RU, YU,	BB, GH, LS, SD, ZW	BG, GM, LT, SE,	BR, GW, LU, SG,	1998-: , BY, , HU, , LV, , SI,	CA, ID, MD, SK,	CH, IL, MG, SL,	IS, MK, TJ,	CU, JP, MN, TM,	CZ, KE, MW, TR,	KG, MX, TT,		
										PT,	, SE,	BF,	ВJ,	CF,	CG,	CI,	CM,		
T.3.7	1004		GN,	ML,	MR, A1	NE,	SN,			T. 7	1000	DE 70	4		-	0000	202 -		
	188411 2284795																		
	2284				A1 19981008 C 20040120					CA 1998-2284795					19980324 <				
	9865				A 19981022					AU 1998-65239					19980324 <				
	7203				B2 20000601					AU 1996-05259					19980324 <				
	9808				A 20000301					BR 1998-8070					19980324 <				
	9902				T2 20000621					TR 1999-2383					19980324 <				
	1015444				A1 20000705					EP 1998-911242									
	1015				B1		2003					, , , ,			_	3300			
			BE,	CH,		DK,			GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,		
		ΙE,	FΙ																
JP	JP 2000513014				T 20001003					JP 1998-541487					19980324 <				
JP	JP 3176379				B2 20010618														
	НU 200000851								HU 2000-851					19980324 <					
					A3 20020429														
	RU 2203894				C2 T						RU 1999-122603				19980324 <				
	AT 241613						20030615			AT 1998-911242					19980324 <				
	CN 1118464				В		2003		CN 1998-803765							324 <			
	1015444 2200324				T		2003			PT 1998-911242							324 <		
		Т3		2004			ES 1998-911242							324 <					
	5428	B A		2003			TW 1998-87104605							327 <					
	MX 9908822 US 6352993						2000			MX 1999-8822							924 <		
	HK 1026418						2002 2004			US 1999-381814 HK 2000-105563							924 < 905 <		
	HK 1026418 RIORITY APPLN. INFO.:				A1		2004	0303			2000- 1997-						305 < 327 <		
EVIOVIII	LAFP	1111 ◆	TNEO	• •							1997-						327 <		
											1997– 1998–:						321 < 324 <		
OTUED SC	THED SOUDCE (S).					⊃ 7\ T'	120.	3026		W .	⊥ <i>J∃</i> U−.	1/1/20			VV _	J J U U	J 4 \		

OTHER SOURCE(S): MARPAT 129:302651

GI

$$R^3$$
 $R^2$ 
 $R^4$ 
 $R^5$ 
 $N$ 
 $A$ 
 $I$ 
 $R^6$ 
 $R^7$ 
 $II$ 

The title compds. [I; when A = piperidin-1-yl, NHB (wherein B = C3-4 alkyl, C3-4 alkenyl, C3-7 cycloalkyl, etc.;); R1 = H, Me; R2-R5 = H; and A = II when R1 = HOCH2, C1-3 alkoxymethyl; R2-R6 = H, and R7 = H, halo; or when R1 = H, Me; R7 = H, halo; and one or two of R2-R6 = OH, MeO, CC(O)Z (wherein Z = C1-4 alkyl, C2-4 alkenyl, cycloalkyl, etc.)], useful in the treatment of peptic ulcers, were prepared Thus, reaction of allylamine with 2-chloro-5,6-dimethyl-4-(1,2,3,4-tetrahydroisoquinolin-2-yl)pyrimidine in the presence of Et3N in DMF afforded 28.5% I.HCl [A = H2C:CHCH2NH; R1-R5 = H] which showed IC50 of 7.85 µM against H+/K+-ATPase.

IT 214538-62-2P 214538-66-6P 214538-70-2P 214538-73-5P 214538-77-9P 214538-79-1P 214538-81-5P 214538-83-7P 214538-89-3P 214538-91-7P 214538-94-0P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of novel 4-(1,2,3,4-tetrahydroisoquinolin-2-yl)pyrimidines possessing an excellent anti-secretory activity)

RN 214538-62-2 ZCAPLUS

CN 4-Pyrimidinemethanol, 6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2-[(4-fluorophenyl)amino]-5-methyl-, benzoate (ester) (9CI) (CA INDEX NAME)

$$\begin{array}{c} \underset{\text{Me}}{ \longrightarrow} \underset{\text{NH}}{ \longrightarrow} \underset{\text{NH}}{ \longrightarrow} \underset{\text{F}}{ \longrightarrow} \underset{\text{CH}_2-0-\overset{\circ}{\text{C}}-\text{Ph}} \\ \\ \underset{\text{NH}}{ \longrightarrow} \underset{\text{F}}{ \longrightarrow} \underset{\text{F}}{ \longrightarrow} \underset{\text{CH}_2-0-\overset{\circ}{\text{C}}-\text{Ph}} \\ \\ \end{array}$$

214538-66-6 ZCAPLUS

RN

CN Benzoic acid, 4-methyl-, [6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2- [(4-fluorophenyl)amino]-5-methyl-4-pyrimidinyl]methyl ester (CA INDEX NAME)

RN 214538-70-2 ZCAPLUS

CN Benzoic acid, 4-propyl-, [6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2- [(4-fluorophenyl)amino]-5-methyl-4-pyrimidinyl]methyl ester (CA INDEX NAME)

RN 214538-73-5 ZCAPLUS

CN Benzoic acid, 4-pentyl-, [6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2- [(4-fluorophenyl)amino]-5-methyl-4-pyrimidinyl]methyl ester (CA INDEX NAME)

RN 214538-77-9 ZCAPLUS

CN Benzoic acid, 3-fluoro-, [6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2- [(4-fluorophenyl)amino]-5-methyl-4-pyrimidinyl]methyl ester (CA INDEX NAME)

RN 214538-79-1 ZCAPLUS

CN Benzoic acid, 3-(trifluoromethyl)-, [6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2-[(4-fluorophenyl)amino]-5-methyl-4-pyrimidinyl]methyl ester (CA INDEX NAME)

RN 214538-81-5 ZCAPLUS

CN Benzoic acid, 2,3-difluoro-,  $[6-(3,4-\text{dihydro}-1-\text{methyl}-2(1\text{H})-\text{isoquinolinyl})-2-[(4-\text{fluorophenyl})amino}]-5-\text{methyl}-4-pyrimidinyl}methyl ester (CA INDEX NAME)$ 

RN 214538-83-7 ZCAPLUS

CN Benzoic acid, 2-chloro-, [6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2-

[(4-fluorophenyl)amino]-5-methyl-4-pyrimidinyl]methyl ester (CA INDEX NAME)

RN 214538-89-3 ZCAPLUS

CN 4-Pyrimidinemethanol, 6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2-[(4-fluorophenyl)amino]-5-methyl-, 4-nitrobenzoate (ester) (9CI) (CA INDEX NAME)

RN 214538-91-7 ZCAPLUS

CN Benzoic acid, 3-cyano-, [6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2- [(4-fluorophenyl)amino]-5-methyl-4-pyrimidinyl]methyl ester (CA INDEX NAME)

RN 214538-94-0 ZCAPLUS

CN 1-Naphthalenecarboxylic acid, [6-(3,4-dihydro-1-methyl-2(1H)-isoquinolinyl)-2-[(4-fluorophenyl)amino]-5-methyl-4-pyrimidinyl]methyl ester (CA INDEX NAME)